WHAT IS CLAIMED IS:

10

20

- 1. An isolated and purified *Bacillus thuringiensis* crystal protein comprising the amino acid sequence of SEQ ID NO:34.
- The protein of claim 1, wherein said protein is insecticidally active against
 Spodoptera frugiperda, Spodoptera exigua, Heliothis virescens, Helicoverpa zea, or
 Ostrinia nubilalis.
- 3. The protein of claim 2, wherein said protein is insecticidally active against S. frugiperda and S. exigua.
- The protein of claim 1, wherein said crystal protein is isolated from Bacillus thuringiensis EG11768 or NRRL B-21781.
 - 5. A polynucleotide encoding the crystal protein of claim 1.
 - 6. The polynucleotide of claim 5, wherein said segment encodes a δ endotoxin having insecticidal activity against Spodoptera frugiperda, Spodoptera exigua, Heliothis virescens, Helicoverpazea or Ostrinia nubilalis.
 - 7. The polynucleotide of claim 6, wherein said segment encodes a δ endotoxin having insecticidal activity against Spodoptera frugiperda and Spodoptera exigua.

- 8. The polynucleotide of claim 7, further defined as encoding a protein comprising the amino acid sequence of SEQ ID NO:34.
- 9. The polynucleotide of claim 8, further defined as comprising the nucleic acid sequence of SEQ ID NO:33, or the complement thereof, or a sequence which hybridizes to the sequence of SEQ ID NO:33; under conditions of high stringency.
- 10. The polynucleotide of claim 5, further comprising a recombinant vector.
 - 11. The polynucleotide of claim 10, wherein said vector is pEG381.
 - 12. The polynucleotide of claim 11, wherein said polynucleotide is operatively linked to a promoter, said promoter expressing said polynucleotide.
 - 13. A recombinant host cell comprising the polynucleotide of claim 5.
 - 14. The recombinant host cell of claim 13, further defined as a prokaryotic cell.
 - 15. The recombinant host cell of claim 14, wherein said prokaryotic cell is an E. coli, B. thuringiensis, B. subtilis, B. megaterium, or a Pseudomonas spp. cell.

25

5

10

15

- 16. The recombinant host cell of claim 15, wherein said B. thuringiensis is B. thuringiensis EG11768 or NRRL B-21781.
- 5 17. The recombinant host cell of claim 13, defined further as being a eukaryotic cell.
 - 18. The recombinant host cell of claim 17, further defined as a plant cell.
- 19. The recombinant host cell of claim 18, wherein said plant cell is a corn, wheat, oat, barley, cotton, soybean, maize, rye, turf grass, pasture grass, vegetable, berry, fruit, tree, or ornamental plant cell.
 - 20. The recombinant host cell of claim 13, wherein said host cell expresses said polynucleotide to produce a crystal protein or peptide.
- 20 21. A method of using a DNA segment that encodes a crystal protein or peptide, comprising the steps of:
 - (a) preparing a recombinant vector in which a crystal protein or peptideencoding DNA segment is positioned under the control of a promoter;
 - (b) introducing said recombinant vector into a host cell;
 - (c) culturing said host cell under conditions effective to allow expression of the encoded crystal protein or peptide; and

25

- (d) collecting said expressed crystal protein or peptide.
- 22. The method of claim 21, wherein said recombinant vector is pEG381.

5

 A peptide composition comprising a crystal protein having the amino acid sequence of SEQ ID NO:34.

10

- 24. The peptide composition of claim 23, comprising a crystal protein encoded by the nucleic acid sequence of SEQ ID NO:33.
- 15 25. A purified antibody that binds to a crystal protein having the amino acid sequence of SEQ ID NO:34.
- 26. A method for detecting a crystal protein or peptide in a biological sample, comprising the steps of:
 - (a) obtaining a biological sample suspected of containing a crystal protein or peptide;
- 25 (b) contacting said sample with the antibody according to claim 25, under conditions effective to allow the formation of complexes; and
 - (c) detecting the complexes so formed.

An immunodetection kit comprising, in suitable container means, the antibody 27. according to claim 25, and an immunodetection reagent. A transgenic plant having incorporated into its genome a transgene that encodes a 28. 5 crystal protein having the amino sequence of SEQ ID NO:34. The transgenic plant of claim 28, wherein said transgene comprises the nucleic acid sequence of SEQ ID NO:33. 10 A progeny of the plant of claim 28. 30. 15 A seed from the plant of claim 28. 31. 32. A seed from the progeny of claim 30. 20 A plant from the seed of claim 32. 33. A recombinant host cell that produces a crystal protein comprising the amino acid 25 34. sequence of SEQ ID NO:34. The recombinant host cell of claim 34, wherein said crystal protein is encoded by 35. the nucleic acid sequence of SEQ ID NO:33. 30

A Bacillus thuringiensis cell designated NRRL B-21781 or EG11768. 36. 5 A composition comprising from about 0.5% to about 99% by weight of a crystal **37**. protein having the amino acid sequence of SEQ ID NO:34. The composition of claim 37, comprising a crystal protein encoded by the nucleic 10 38. acid sequence of SEQ ID NO:33. A composition comprising a crystal protein prepared by a process comprising the 39. 15 steps of: culturing a recombinant host cell comprising the DNA segment of SEQ ID (a) NO:33 under conditions effective to produce a crystal protein encoded by said DNA segment; and 20 obtaining said crystal protein from said cell. (b) A method of preparing a crystal protein comprising: 40. 25 culturing a Bacillus thuringiensis EG11768 or NRRL B-21781 cell under (a) conditions effective to produce a said crystal protein; and

obtaining said crystal protein from said cell.

30

(b)

41. The composition of claim 37, prepared by the method of claim 40.